

This version of the  
Appendix  
is proposed to be  
**ENACTED.**

(1) ANTI-INFECTIVES, SYSTEMIC:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
<b>Antibiotics</b>			
Penicillins		X	
Cephalosporins and related antibiotics		X	
Carbapenem; monobactams		X	
Chloramphenicol	X		
Quinolones; flouroquinolones; tetracyclines; macrolides; spectinomycin; <b>Ketolides</b>		X	
Vancomycin		PO	IV
Lincosamides	X		
Clindamycin		X	
Aminoglycosides: parenteral; nebulized			X
Aminoglycosides: oral		X	
Colistimethate sodium;		X	
Polymyxin B sulfate; bacitracin			
Metronidazole		X	
Novobiocin	X		
Sulfonamides		X	
Nitrofurans		X	
Methenamines		X	
Folate antagonists		X	
Miscellaneous anti-infectives/antiseptics		X	
Antibiotic combinations		X	
<b>Antifungal agents</b>			
IV route of administration			X
PO; topical		X	
<b>Antimalarial preparations</b>		X	
<b>Antituberculosal agents</b>		PO	IV
<b>Amebicides</b>		X	
<b>Antiviral agents:</b>			
Foscarnet sodium; Ganciclovir; Valganciclovir		PO	IV
<b>Anti-herpes Virus Agents</b>			
Acyclovir; Famciclovir; Valacyclovir hydrochloride		PO	IV
Amantadine hydrochloride		X	
Cidofovir	X		
Ribavirin			X
Rimantadine		X	
Zanamivir		X	
Oseltamivir phosphate		X	
Adefovir dipivoxil			X
Entecavir			X
<b>Antiretroviral agents</b>			

Leprostastics			X
Antiprotazoals			X
Nitazoxanide		X	
Metronidazole		X	
Anthelmintics		X	
CDC anti-infective agents: not commercially available	X		
<b>(2) ANTINEOPLASTIC AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Alkylating agents	X		
Estramustine ( <b>Emcyt</b> )	X		
Antimetabolites	X		
Antimitotic agents	X		
Epipodophyllotoxins	X		
Antibiotics	X		
<b>Hormones</b>	X		
Androgens; Progestins: Estrogens; Estrogen/Nitrogen Mustard	X		
<b>Antiandrogens:</b>			
<b>Antiandrogens:</b> Bicultamide, Nilutamide	X		
Estramustine ( <b>Emcyt</b> )	X		
<b>Antiestrogens:</b>			
Antiestrogens			X
Gonadotropin-Releasing Hormone Analog	X		
<b>Hormones <i>continued</i></b>			
<b>Aromatase Inhibitors</b>			
Exemestane, Amastrozole, Letrozole			X
Enzymes	X		
Radiopharmaceuticals	X		
Platinum Coordination complex; Anthracenedione; Substituted ureas; Methylhydrazine derivatives; Cytoprotective Agents; DNA demethethylation agents; Imidazotetrazine derivatives, Protein-tyrosine kinase inhibitors, DNA Topoisomerase inhibitors; Biological	X		
Epidermal growth factor receptor inhibitors: Gefitinib	X		
Proteasome inhibitors: Bortezomib	X		

<b>(3) BIOLOGIC/ IMMUNOLOGIC AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Immune globulins		X	
Agents for primary Immune Deficiency (Vivaglobulin)			X
<b>Monoclonal antibody</b>			
Palivizumab ( <b>Synagis</b> )			X
Eculizumab ( <b>Solaris</b> )	X		
Antitoxins and antivenins		X	
Agents for active immunizations		X	
Allergenic extracts			X
<b>Immunologic agents</b>			
Immunostimulants			X
Immunosuppressives			X
Immunomodulators			X
Revlimid	X		
Antirheumatic agents			X
<b>(4) CARDIOVASCULAR AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Inotropic agents:</b>			
Digoxin oral		x	
digoxin injection			x
inamrinone lactate	x		
milrinone lactate	x		
<b>Antiarrhythmic agents:</b>			
Ibutilide Fumarate	x		
Quinidine Sulfate			x
Quinidine Gluconate			x
Quinidine Gluconate injection			x
Quinidine Gluconate oral			x
Procainamide Hydrochloride oral			x
Procainamide Hydrochloride injection			x
Disopyramide	x		
Flecainide Acetate	x		
Mexiletine Hydrochloride	x		
Propafenone Hydrochloride	x		
Amiodarone Hydrochloride Oral			x
Amiodarone Hydrochloride Injection			x
Adenosine			x
Dofetilide	x		
Lidocaine Hydrochloride			x

Calcium channel blocking agents		PO	IV
Adenosine phosphate			X
<b>Vasodilators</b>			
Bosentan	X		
Nesiritide			X
Nitrates		PO/ Transdermal	IV
<b>Peripheral vasodilators</b>			
Epoprostenol			
Sodium/Treprostinil Sodium	X		
Hydralazine Hydrochloride		PO	IV
Isoxsuprine Hydrochloride	X		
Papaverine Hydrochloride	X		
Iloprost	X		
Minoxidil			X
Peripheral vasodilators combinations		X	
<b>Antiadrenergics/sympatholytics</b>			
Beta-blockers		PO	IV
<b>Alpha/beta adrenergics</b>		PO	IV
Anti-adrenergic agents: centrally acting, peripherally acting		PO	IV
Renin angiotensin system antagonists		PO	IV
Antihypertensive combinations		X	
Agents for pheochromocytoma			X
Agents for hypertensive emergencies: Nitroprusside sodium; Diazoxide; Fenoldopam mesylate			X
Trimethaphan camsylate	X		
Antihyperlipidemic agents ( <i>simvastatin, ezetimibe</i> )		X	
Antihyperlipidemic agents: combination agents ( <i>includes simvastatin/ezetimibe combination products</i> )		X	
Omega-3 acid ethyl esters ( <i>Omacor</i> )		X	
Vasopressors used in shock			X
<b>EpiPen; EpiPen Jr</b> <i>Hypersensitivity reactions; bronchospasm</i>		X	
Cardioplegic solutions	X		

<b>Agents for Patent Ductus Arteriosus: including indomethacin</b>			X
Sclerosing agents			X
Miscellaneous antianginal agents ( <i>Ranexa</i> )			X
<b>(5) CENTRAL NERVOUS SYSTEM AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>CNS stimulants</b>			
Analeptics:			
Caffeine			X
Doxapram HCl	X		
Modafinil (Provigil)			X
Amphetamines; Methylphenidate HCL;	X		
<b>Anorexiant</b> A physician must prescribe in accordance with medical board rules: <a href="http://www.med.ohio.gov/rules/current/11-04.htm">http://www.med.ohio.gov/rules/current/11-04.htm</a>	X		
<b>Opioid analgesics</b>			
opioids (non schedule II) <b>DEA REGISTRATION REQUIRED</b>		X	
<b>Narcotic analgesic combinations: including mixtures with codeine phosphate: DEA Registration Required</b>		X	
<b>Narcotic Agonist-Antagonist Analgesics: DEA REGISTRATION REQUIRED</b>		X	
Buprenex		X Analgesia only	
<b>Analgesics: non-scheduled drugs</b>		X	
Buprenorphine HCL and naloxone HCL ( <b>Suboxone</b> ) <b>Sublingual TABLETS</b>	X		
Buprenorphine HCL ( <b>Subutex</b> ) <b>Sublingual TABLETS</b>	X		
<b>Central analgesics</b>		X	
<b>NSAIDs</b>		X	

Miscellaneous Analgesics: Ziconotide	X		
<b>Agents for migraine</b>		X	
Antiemetic/antivertigo agents For Emend see below		X	
Aprepitant (Emend)			X
Antianxiety agents: Benzodiazepines; DEA REGISTRATION REQUIRED		X	
Miscellaneous antianxiety agents		X	
Meprobamate		X	
<b>Antidepressants</b>			
Tricyclic compounds		X	
Amoxapine		X	
Tetracyclic compounds; trazodone; Bupropion; venlafexine		X	
Nefazodone		X	
Serotonin & norepinephrine reuptake inhibitors (Cymbalta)		X	
SSRIs		X	
MAO inhibitors	X		
<b>Antipsychotic agents:</b>			
Clozapine; thioridazine; Mesoridazine			X
Phenothiazine derivatives; Thioxanthine derivatives; Phenylbutylpiperidine derivatives; Dihydroindolone derivatives; Dibenzapine derivatives; Benzisoxazole derivatives; Quinolinone derivative			X
Lithium			X
<b>NMDA receptor antagonists</b> (Namenda)		X	
Cholinesterase inhibitors		X	
<b>Miscellaneous psychotherapeutic agents: DEA REGISTRATION WHERE APPLICABLE</b>			
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate; olanzapine & fluoxetine HCl; perphenazine & amitrvptvline		X	
Atomoxetine			X

<b>Sedatives and hypnotics, nonbarbiturates WITH DEA WHERE APPLICABLE</b>			
Imidazopyridines; ureides (Ambien)		X	
Tertiary acetylenic alcohols (ethchlorvynol)	X		
Piperidine derivatives: Glutethamide	X		
Benzodiazepines		X	
Chloralhydrate; paraldehyde			X
Propiomazine HCl			X
Dexmedetomidine HCl (Precedex)	X		
Melatonin receptor agonists (Rozerem)		X	
Eszopiclone (Lunesta)		X	
Pyrazolopyrimidine (Sonata)		X	
<b>Non-prescription sleep aids</b>		X	
<b>Sedatives and hypnotics; barbiturates; non schedule II</b>			
Long-acting			X
Intermediate-acting	X		
Short-acting	X		
Oral combinations	X		
<b>General anesthetics:</b> Barbiturates, gases, volatile liquids Includes <b>Propofol</b>	X		
<b>Injectable local anesthetics</b>		X	
<b>Anticonvulsants *</b>			
Hydantoins; succinimides; Sulfonamides *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Benzodiazepines *		x see notes under central nervous system agents	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.

Carbamazepine; oxcarbamazepine; <b>Magnesium sulfate</b> ; acetazolamide *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Adjuvant anticonvulsants: Felbamate; Gabapentin; Lamotrigine; <b>Pregabalin</b> ; Levetiracetam; Primidone; Tiagabine; Topiramate; Valproic acid and derivatives *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
<b>Muscle relaxants – adjuncts to anesthesia</b>	X		
<b>Skeletal muscle relaxants</b>			
Centrally-acting		X	
Direct-acting		X	
Combination		X	
<b>Antiparkinson agents</b>		X	
Selegiline transdermal system	X		
<b>Cholinergic muscle stimulants</b>			X
<b>Antialcoholic</b>		X	
<b>Smoking deterrents</b>		X	
Riluzole	X		
Physical adjuncts: chymopapain; hyaluronic acid derivatives			X
Poly-L-Lactic Acid	X		
Botulinum Toxin Type A	X		
Botulinum Toxin Type B			X
<b>(6) DERMATOLOGIC AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Antihistamine preparations, topical		X	
Anti-infectives, topical		X	
Anti-inflammatory agents		X	
Anti-psoriatic agents			
Ammoniated mercury	X		
Anthralin; calcipotriene; selenium sulfide		X	
Methotrexate			X
Antiseborrheic products		X	

Counterirritants; destructive agents; drying agents		X	
Enzyme preparations			
Hyaluronidase		X	
Collagenase; topical enzyme combinations		X	
Immunomodulator, topical		X	
Keratolytic agents		X	
Liver Derivative Complex		X	
Local anesthetics, topical		X	
Minoxidil		X	
Photochemotherapy; pigment agents	X		
Poison ivy products, topical			
Pyrimidine antagonist, topical		X	
Pyrithione zinc		X	
<b>Retinoids</b>			
Adapalene		X	
<b>First generation retinoids:</b>			
isotretinoin	X		
Tretinoin topical		X	
<b>Second generation retinoids:</b>			
Acitretin	X		
Alitretinoin	X		
Tazarotene		X	
<b>Scabicides/pediculicides</b>		X	
<b>Wound healing agents:</b>		X	
<b>Emollients; protectants; sunscreens; ointments and lotion bases; rubs and liniments</b>		X	
<b>Topical combinations, miscellaneous dressings and granules</b>		X	
<b>Irrigating solutions</b>		X	
<b>(7) DIAGNOSTIC AIDS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<i>In vitro</i> diagnostic aids		X	
<i>In vivo</i> diagnostic aids		X	
<i>In vivo</i> diagnostic biologicals		X	
Radiopaque agents		X	
<b>(8) GASTROINTESTINAL AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Sex hormones</b>			

Estrogens; Selective estrogen receptor modulator; progestins		X	
<i>Tamoxifen</i>		prophylactic use	
<i>Fulvestrant</i>			
<i>Antineoplastic agents</i>	X		
Estrogens/Progestins combined		X	
Estrogen/androgen combinations		X	
Contraceptive hormones		X	
Ovulation stimulants			X
Gonadotropin-releasing hormones		X	
Androgens	X		
Danazol		X	
Androgen inhibitors		X	
Anabolic steroids	X		
<b>Uterine-active agents</b>			
Abortifacients	X		
Prostaglandins	X		
Carboprost tromethamine: Hemabate		X postpartum hemorrhage	
Agent for cervical ripening: Dinoprostone	X		
Oxytocics, including pitocin	X		
Uterine relaxants	X		
Bisphosphonates		X	
Pamidronate disodium injection	X		
<b>Antidiabetic agents</b>			
IV Insulin infusion			X
Insulins		X	
Inhaled insulin ( <i>Exubera</i> )			X
Sulfonylureas		X	
Alpha-glucosidase inhibitors		X	
Amylin analog ( <i>SymLin</i> )		X	
Incretin mimetic agents		X	
Biguanides: this category includes meglitinides		X	
Thiazolidinediones		X	
Dipeptidylpeptidase 4 (DPP4) inhibitors ( <i>Januvia</i> )		X	
Glucose elevating agents		X	
<b>Adrenocortical steroids</b>			
Adrenal steroid inhibitors	X		
Corticotropins	X		
Glucocorticoids		X	
Mineral corticoids			X
<b>Thyroid drugs</b>			

Thyroid hormones		X	
Anti-thyroid agents			X
Parathyroid hormone			X
Insulin-like growth factor			X
Growth hormone	X		
Posterior pituitary hormones: <i>Includes DDAVP</i>	for diabetes insipidus and other indications	X (for primary nocturnal enuresis only)	
Vasopressin receptor antagonist			X
Octreotide acetate; imiglucerase; gallium nitrate	X		
Pegvisomant	X		
Laronidase	X		
Galsulfase	X		
Agalsidase beta	X		
Miglustat	X		
4-hydroxyphenylpyruvate dioxygenase inhibitor	X		
Alglucosidase alfa	X		
Calcitonin-salmon: nasal (osteoporosis)		X	
Calcitonin-salmon: injectable			X
Calcium receptor agonist (Sensipar)			X
Sodium phenylbutyrate; Betaine anhydrous; Cysteamine bitartrate	X		
Sodium benzoate; sodium phenylacetate	X		
Cabergoline	X		
Bromocriptine mesylate		X	
Agents for gout		X	
Emergency kits		X	
<b>DETOXIFICATION AGENTS</b>			
Antidotes: (includes Naltrexone) <i>includes sodium nitrite;</i> pentatate calcium trisodium			X
<b>(9) GASTROINTESTINAL AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<i>Helicobacter pylori</i> agents		X	
Histamine H2 antagonists		X	
Proton pump inhibitors		X	
Sucralfate		X	
Prostaglandins		X	
Antacids		X	

Gastrointestinal anticholinergics/antispasmodics		X	
Mesalamine; Olsalazine sodium; sulfasalazine		X	
Infliximab			X
Lubiprostone		X	
Laxatives		X	
Antidiarrheals		X	
Antiflatulents		X	
<b>Lipase inhibitors:</b> Xenical, Orlistat		X	
GI stimulants		X	
Digestive enzymes		X	
Miscellaneous digestive products; gastric acidifiers; hydrocholeretics		X	
Gallstone solubilizing agents			X
Mouth and throat products		X	
Systemic deodorizers		X	
Anorectal preparations		X	
<b>(10) HEMATOLOGICAL AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Hematopoietic agents</b>			
Epoetin alfa; Darbepoetin			X
Colony-stimulating factors Filgrastim; Pegfilgrastim	X		
Interleukins (Neumega)	X		
<b>Antiplatelet agents</b>			
Anagrelide HCL; dipyridamole; dipyridamole & aspirin		X(po)	
Glycoprotein inhibitors			X
Aggregation inhibitors (eg. Plavix)		X(po)	
Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin)	X		
<b>Anticoagulants:</b>			
antithrombin agents; thrombin inhibitors			X
Low molecular wt heparin; heparin;	IV	subcutaneous	
Warfarin		X	
Selective factor Xa Inhibitor (Arixtra)	X		

Coagulants: heparin antagonist (protamine sulfate)			X
Thrombolytic agents	X		
Antisickling agents (Droxia)	X		
Hemorrhologic agents	X		
Antihemophilic agents	X		
Antihemophilic factor combinations	X		
Hemostatics		X topical	
Plasma expanders			X
Albumin			X
Hemin	X		
<b>(11) NUTRIENTS &amp; NUTRITIONAL AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Note:</b>			refer to definitions page
Vitamins, minerals (includes magnesium sulfate), trace elements		X(PO)	X (parenteral)
Electrolytes		X(PO)	X (parenteral)
Systematic alkalinizers		X(PO)	X (parenteral)
Amino acids		X(PO)	X (parenteral)
Lipotropic products, fish oils		X(PO)	X (parenteral)
Enzymes		X(PO)	X (parenteral)
Oral nutritional supplements; nutritional combination products		X(PO)	
Enteral nutritional therapy, hyperalimentation			X
<b>Intravenous nutritional therapy:</b> protein substrates, caloric intake, lipids, vitamins (parenteral), minerals, electrolytes, trace metals <b>TPN</b>			X
<b>IV replenishment solutions</b>			
<i>Saline solutions:</i> with & without dextrose		X	
<i>Lactated ringers solutions:</i> with & without dextrose		X	
IV solutions: <b>D5</b> as diluent		X	
IV solutions: <b>D10</b> as diluent		X	
Chelating agents: succimer; trientine HCL <b>and see Section 3: Endocrine &amp; Metabolic Agents for other chelating agents</b>	X (parenteral)		X(PO)

<b>Dialysis solutions</b>			
Peritoneal dialysis			X
Hemodialysis			X
<b>(12) OPHTHALMIC &amp; OTIC AGENTS: (TOPICAL)</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Agents for glaucoma			X
Non-steroidal anti-inflammatory agents (NSAIDs)			X
Corticosteroids			X
Cycloplegic Mydriatics		X	
Mast cell stabilizers		X	
Ophthalmic decongestant agents		X	
Antibiotics		X	
Steroid antibiotic combinations			X
Sulfonamides		X	
Steroid sulfonamide combinations			X
Ophthalmic antiseptics	X		
Ophthalmic antifungals	X		
Antiviral agents	X		
Immunologic agents			
Cyclosporine ophthalmic emulsion (Restasis)			X
Selective vascular endothelial growth factor antagonist	X		
Ocular lubricants; artificial tears		X	
Ophthalmic punctal plugs	X		
Ophthalmic collagen implants	X		
Ophthalmic hyperosmolar preparations	X		
Contact lens products		X	
Ophthalmic local anesthetics: Includes <i>tetracaine, proparacaine, &amp; miscellaneous combinations (include fluracine)</i>		X	
Ophthalmic diagnostic products: <i>Includes fluorescein strips</i>		X	
Ophthalmic surgical adjuncts	X		
Ophthalmic phototherapy	X		
Ophthalmic non-surgical adjuncts		X	
Otic preparations		X	

<b>(13) RENAL &amp; GENITOURINARY AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Interstitial cystitis agents		PO	NON PO
Cellulose sodium phosphate		PO	NON PO
Impotence agents		PO	NON PO
Acetohydroxamic acid		PO	NON PO
Genitourinary irrigants		PO	NON PO
Cystine-depleting agents		PO	NON PO
Urinary alkalinizers		PO	NON PO
Urinary acidifiers		PO	NON PO
Anticholinergics		PO	NON PO
Urinary cholinergics		PO	NON PO
Phosphate Binders		PO	NON PO
Polymeric Phosphate Binders		PO	NON PO
Vaginal preparations; miscellaneous vaginal preparations; douche products		X	
Contraceptive aids		PO	NON PO
Diuretics		PO	NON PO
<b>(14) RESPIRATORY AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Bronchodilators		PO/INHALED	
Leukotriene receptor antagonists		PO/INHALED	
Leukotriene formation inhibitors		PO/INHALED	
Monoclonal antibodies: Omalizumab (Xolair)	X		
Respiratory inhalant products		X	
Respiratory inhalant combinations		X	
Nasal decongestants		X	
Respiratory enzymes			X
Lung surfactants			X
Antihistamines		X	
Narcotic antitussives		X	
Nonnarcotic antitussives		X	
Expectorants		X	
Respiratory combination products		X	
Antiasthmatic combinations		X	
Upper respiratory combinations		X	

<b>(15) OTHER:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Blood products:</b> including PRBC, FFP (Refer to Rule 4730-2-06)			X
<b>Plasma expanders</b>			X
<b>IV replenishment solutions</b>			
Saline solutions: with & without dextrose		X	
Lactated ringers solutions: with & without dextrose		X	
IV solutions with D5 as diluent		X	
<b>Oxygen</b>		X	

This version of the  
Appendix  
is proposed to be  
Rescinded.

	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Antibiotics</b>			
Penicillins		X	
Cephalosporins and related antibiotics		X	
Carbapenem; monobactams		X	
Chloramphenicol	X		
Quinolones; flouoroquinolones; tetracyclines; macrolides; spectinomycin; <b>Ketolides</b>		X	
Vancomycin		PO	IV
Lincosamides	X		
Clindamycin		X	
Aminoglycosides: parenteral; nebulized			X
Aminoglycosides: oral		X	
Colistimethate sodium;		X	
Polymyxin B sulfate; bacitracin			
Metronidazole		X	
Novobiocin	X		
Sulfonamides		X	
Nitrofurans		X	
Methenamines		X	
Folate antagonists		X	
Miscellaneous anti-infectives/antiseptics		X	
Antibiotic combinations		X	
<b>Antifungal agents</b>			
IV route of administration			X
PO; topical		X	
<b>Antimalarial preparations</b>		X	
<b>Antituberculosal agents</b>		PO	IV
<b>Amebicides</b>		X	
<b>Antiviral agents:</b>			
Foscarnet sodium; Ganciclovir; Valganciclovir		PO	IV
<b>Anti-herpes Virus Agents</b>			
Acyclovir; Famciclovir; Valacyclovir hydrochloride		PO	IV
Amantadine hydrochloride		X	
Cidofovir	X		
Ribavirin			X
Rimantadine		X	

Zanamivir		X	
Oseltamivir phosphate		X	
Adefovir dipivoxil			X
Entecavir			X
<b>Antiretroviral agents</b>			
Leprostatics			X
Antiprotazoals			X
Nitazoxanide		X	
Metronidazole		X	
Anthelmintics		X	
CDC anti-infective agents: not commercially available	X		
<b>(2) ANTINEOPLASTIC AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Alkylating agents	X		
Estramustine ( <b>Emcyt</b> )	X		
Antimetabolites	X		
Antimitotic agents	X		
Epipodophyllotoxins	X		
Antibiotics	X		
<b>Hormones</b>	X		
Androgens; Progestins; Estrogens; Estrogen/Nitrogen Mustard	X		
<b>Antiandrogens:</b>			
<b>Antiandrogens:</b> Biclutamide, Nilutamide	X		
Estramustine ( <b>Emcyt</b> )	X		
<b>Antiestrogens:</b>			
Antiestrogens			X
Gonadotropin-Releasing Hormone Analog	X		
<b>Hormones continued</b>			
<b>Aromatase Inhibitors</b>			
Exemestane, Amastrozole, Letrozole			X
Enzymes	X		
Radiopharmaceuticals	X		
Platinum Coordination complex; Anthracenedione; Substituted ureas; Methylhydrazine derivatives; Cytoprotective Agents; DNA demethylation agents; Imidazotetrazine derivatives, Protein-tyrosine kinase inhibitors, DNA Topoisomerase inhibitors; Biological	X		

Epidermal growth factor receptor inhibitors: Gefitinib	X		
Proteasome inhibitors: Bortezomib	X		
<b>(3) BIOLOGIC/ IMMUNOLOGIC AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Immune globulins		X	
Agents for primary Immune Deficiency (Vivaglobulin)			X
Monoclonal antibody			
Palivizumab ( <b>Synagis</b> )			X
Antitoxins and antivenins		X	
Agents for active immunizations		X	
Allergenic extracts			X
<b>Immunologic agents</b>			
Immunostimulants			X
Immunosuppressives			X
Immunomodulators			X
Revlimid	X		
Antirheumatic agents			X
<b>(4) CARDIOVASCULAR AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Inotropic agents		PO	IV
<b>Antiarrhythmic agents:</b>			
Calcium channel blocking agents		PO	IV
Adenosine phosphate			X
<b>Vasodilators</b>			
Bosentan	X		
Nesiritide			X
Nitrates		PO/ Transdermal	IV
<b>Peripheral vasodilators</b>			
Epoprostenol			
Sodium/Treprostinil Sodium	X		
Hydralazine Hydrochloride		PO	IV
Isoxsuprine Hydrochloride	X		
Papaverine Hydrochloride	X		
Iloprost	X		
Minoxidil			X
Peripheral vasodilators combinations		X	
<b>Antiadrenergics/sympatholytics</b>			
Beta-blockers		PO	IV

<b>Alpha/beta adrenergics</b>		PO	IV
Anti-adrenergic agents: centrally acting, peripherally acting		PO	IV
Renin angiotensin system antagonists		PO	IV
Antihypertensive combinations		X	
Agents for pheochromocytoma			X
Agents for hypertensive emergencies: Nitroprusside sodium; Diazoxide; Fenoldopam mesylate			X
Trimethaphan camsylate	X		
Antihyperlipidemic agents ( <i>simvastatin, ezetimibe</i> )		X	
Antihyperlipidemic agents: combination agents ( <i>includes simvastatin/ezetimibe combination products</i> )		X	
Omega-3 acid ethyl esters ( <i>Omacor</i> )		X	
Vasopressors used in shock			X
<b>EpiPen; EpiPen Jr</b> <i>Hypersensitivity reactions; bronchospasm</i>		X	
Cardioplegic solutions	X		
<b>Agents for Patent Ductus Arteriosus: including indomethacin</b>			X
Sclerosing agents			X
Miscellaneous antianginal agents ( <i>Ranexa</i> )			X
<b>(5) CENTRAL NERVOUS SYSTEM AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>CNS stimulants</b>			
Analeptics:			
Caffeine			X
Doxapram HCl	X		
Modafinil (Provigil)			X
Amphetamines; Methylphenidate HCL;	X		

<b>Anorexiant</b> A physician must prescribe in accordance with medical board rules: <a href="http://www.med.ohio.gov/rules/current/11-04.htm">http://www.med.ohio.gov/rules/current/11-04.htm</a>	X		
<b>Opioid analgesics</b>			
opioids (non schedule II) <b>DEA REGISTRATION REQUIRED</b>		X	
<b>Narcotic analgesic combinations: DEA REGISTRATION REQUIRED</b>		X	
<b>Narcotic Agonist-Antagonist Analgesics: DEA REGISTRATION REQUIRED</b>		X	
Buprenex		X Analgesia only	
<b>Analgesics: non-scheduled drugs</b>		X	
Buprenorphine HCL and naloxone HCL <b>(Suboxone)</b> <b>Sublingual TABLETS</b>	X		
Buprenorphine HCL <b>(Subutex)</b> <b>Sublingual TABLETS</b>	X		
<b>Central analgesics</b>		X	
<b>NSAIDs</b>		X	
Miscellaneous Analgesics: Ziconotide	X		
<b>Agents for migraine</b>		X	
Antiemetic/antivertigo agents For Emend see below		X	
Aprepitant (Emend)			X
Antianxiety agents: Benzodiazepines; <b>DEA REGISTRATION REQUIRED</b>		X	
Miscellaneous antianxiety agents		X	
Meprobamate		X	
<b>Antidepressants</b>			
Tricyclic compounds		X	
Amoxapine		X	
Tetracyclic compounds; trazodone; Bupropion; venlafexine		X	
Nefazodone		X	
Serotonin & norepinephrine reuptake inhibitors (Cymbalta)		X	

SSRIs		X	
MAO inhibitors	X		
<b>Antipsychotic agents:</b>			
Clozapine; thioridazine; Mesoridazine			X
Phenothiazine derivatives; Thioxanthine derivatives; Phenylbutylpiperidine derivatives; Dihydroindolone derivatives; Dibenzapine derivatives; Benzisoxazole derivatives; Quinolinone derivative			X
Lithium			X
<b>NMDA receptor antagonists (Namenda)</b>		X	
Cholinesterase inhibitors		X	
<b>Miscellaneous psychotherapeutic agents: DEA REGISTRATION WHERE APPLICABLE</b>			
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate; olanzapine & fluoxetine HCl; perphenazine & amitryptiline		X	
Atomoxetine			X
<b>Sedatives and hypnotics, nonbarbiturates WITH DEA WHERE APPLICABLE</b>			
Imidazopyridines; ureides (Ambien)		X	
Tertiary acetylenic alcohols (ethchlorvynol)	X		
Piperidine derivatives: Glutethamide	X		
Benzodiazepines		X	
Chloralhydrate; paraldehyde			X
Propiomazine HCl			X
Dexmedetomidine HCl (Precedex)	X		
Melatonin receptor agonists (Rozerem)		X	
Eszopiclone (Lunesta)		X	
Pyrazolopyrimidine (Sonata)		X	
<b>Non-prescription sleep aids</b>		X	
<b>Sedatives and hypnotics; barbiturates; non schedule II</b>			

Long-acting			X
Intermediate-acting	X		
Short-acting	X		
Oral combinations	X		
<b>General anesthetics:</b> Barbiturates, gases, volatile liquids Includes <b>Propofol</b>	X		
<b>Injectable local anesthetics</b>		X	
<b>Anticonvulsants *</b>			
Hydantoins; succinimides; Sulfonamides *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Benzodiazepines *		x see notes under central nervous system agents	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Carbamazepine; oxcarbamazepine; <b>Magnesium sulfate</b> ; acetazolamide *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
Adjuvant anticonvulsants: Felbamate; Gabapentin; Lamotrigine; <b>Pregabalin</b> ; Levetiracetam; Primidone; Tiagabine; Topiramate; Valproic acid and derivatives *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
<b>Muscle relaxants – adjuncts to anesthesia</b>	X		
<b>Skeletal muscle relaxants</b>			
Centrally-acting		X	
Direct-acting		X	
Combination		X	
<b>Antiparkinson agents</b>			
EMSAM (Selegiline transdermal system)			X

<b>Cholinergic muscle stimulants</b>			X
<b>Antialcoholic</b>		X	
<b>Smoking deterrents</b>		X	
Riluzole	X		
Physical adjuncts: chymopapain; hyaluronic acid derivatives			X
Poly-L-Lactic Acid	X		
Botulinum Toxin Type A	X		
Botulinum Toxin Type B			X
<b>(6) DERMATOLOGIC AGENTS:</b>	<b>CTP holder may NOT prescribe</b>	<b>CTP holder may prescribe</b>	<b>Physician initiated/consulted (formal documentation required in the patient record)</b>
Antihistamine preparations, topical		X	
Anti-infectives, topical		X	
Anti-inflammatory agents		X	
Anti-psoriatic agents			
Ammoniated mercury	X		
Anthralin; calcipotriene; selenium sulfide		X	
Methotrexate			X
Antiseborrheic products		X	
Counterirritants; destructive agents; drying agents		X	
Enzyme preparations			
Hyaluronidase		X	
Collagenase; topical enzyme combinations		X	
Immunomodulator, topical		X	
Keratolytic agents		X	
Liver Derivative Complex		X	
Local anesthetics, topical		X	
Minoxidil		X	
Photochemotherapy; pigment agents	X		
Poison ivy products, topical			
Pyrimidine antagonist, topical		X	
Pyrithione zinc		X	
<b>Retinoids</b>			
Adapalene		X	
<b>First generation retinoids:</b>			
Accutane	X		
Tretinoin topical		X	
<b>Second generation retinoids:</b>			
Acitretin	X		
Alitretinoin	X		

Tazarotene		X	
Scabicides/pediculicides		X	
Wound healing agents:		X	
Emollients; protectants; sunscreens; ointments and lotion bases; rubs and liniments		X	
Topical combinations, miscellaneous dressings and granules		X	
Irrigating solutions		X	
<b>(7) DIAGNOSTIC AIDS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<i>In vitro</i> diagnostic aids		X	
<i>In vivo</i> diagnostic aids		X	
<i>In vivo</i> diagnostic biologicals		X	
Radiopaque agents		X	
<b>(8) ENDOCRINE &amp; METABOLIC AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Sex hormones</b>			
Estrogens; Selective estrogen receptor modulator; progestins		X prophylactic use	
<i>Tamoxifen</i>			
<i>Fulvestrant</i>			
<i>Antineoplastic agents</i>	X		
Estrogens/Progestins combined		X	
Estrogen/androgen combinations		X	
Contraceptive hormones		X	
Ovulation stimulants			X
Gonadotropin-releasing hormones		X	
Androgens	X		
Danazol		X	
Androgen inhibitors		X	
Anabolic steroids	X		
<b>Uterine-active agents</b>			
Abortifacients	X		
Prostaglandins	X		
Carboprost tromethamine: Hemabate		X postpartum hemorrhage	

Agent for cervical ripening: Dinoprostone	X		
Oxytocics, including pitocin	X		
Uterine relaxants	X		
Bisphosphonates		X	
Pamidronate disodium injection	X		
<b>Antidiabetic agents</b>			
IV Insulin infusion			X
Insulins		X	
Inhaled insulin ( <i>Exubera</i> )			X
Sulfonylureas		X	
Alpha-glucosidase inhibitors		X	
Amylin analog ( <i>Symlin</i> )		X	
Incretin mimetic agents		X	
Biguanides: this category includes meglitinides		X	
Thiazolidinediones		X	
Dipeptidylpeptidase 4 (DPP4) inhibitors ( <i>Januvia</i> )		X	
Glucose elevating agents		X	
<b>Adrenocortical steroids</b>			
Adrenal steroid inhibitors	X		
Corticotropins	X		
Glucocorticoids		X	
Mineral corticoids			X
<b>Thyroid drugs</b>			
Thyroid hormones		X	
Anti-thyroid agents			X
Parathyroid hormone			X
Insulin-like growth factor			X
Growth hormone	X		
Posterior pituitary hormones: <i>Includes DDAVP</i>	for diabetes insipidus and other indications	X (for primary nocturnal enuresis only)	
Vasopressin receptor antagonist			X
Octreotide acetate; imiglucerase; gallium nitrate	X		
Pegvisomant	X		
Laronidase	X		
Galsulfase	X		
Agalsidase beta	X		
Miglustat	X		
4-hydroxyphenylpyruvate dioxygenase inhibitor	X		
Alglucosidase alfa	X		
Calcitonin-salmon: nasal (osteoporosis)		X	
Calcitonin-salmon: injectable			X

Calcium receptor agonist (Sensipar)			X
Sodium phenylbutyrate; Betaine anhydrous; Cysteamine bitartrate	X		
Sodium benzoate; sodium phenylacetate	X		
Cabergoline	X		
Bromocriptine mesylate		X	
Agents for gout		X	
Emergency kits		X	
<b>DETOXIFICATION AGENTS</b>			
Antidotes: (includes Naltrexone) <i>includes sodium nitrite;</i> pentatate calcium trisodium			X
<b>(9) GASTROINTESTINAL AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<i>Helicobacter pylori</i> agents		X	
Histamine H2 antagonists		X	
Proton pump inhibitors		X	
Sucralfate		X	
Prostaglandins		X	
Antacids		X	
Gastrointestinal anticholinergics/antispasmodic s		X	
Mesalamine; Olsalazine sodium; sulfasalazine		X	
Infliximab			X
Lubiprostone		X	
Laxatives		X	
Antidiarrheals		X	
Antiflatulents		X	
<b>Lipase inhibitors:</b> Xenical, Orlistat		X	
GI stimulants		X	
Digestive enzymes		X	
Miscellaneous digestive products; gastric acidifiers; hydrocholeretics		X	
Gallstone solubilizing agents			X
Mouth and throat products		X	
Systemic deodorizers		X	
Anorectal preparations		X	

<b>(10) HEMATOLOGICAL AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Hematopoietic agents</b>			
Epoetin alfa; Darbepoetin			X
Colony-stimulating factors Filgrastim; Pegfilgrastim	X		
Interleukins (Neumega)	X		
<b>Antiplatelet agents</b>			
Anagrelide HCL; dipyridamole; dipyridamole & aspirin		X(po)	
Glycoprotein inhibitors			X
Aggregation inhibitors (eg. Plavix)		X(po)	
Aggregation inhibitor/Vasodilator: Trepstinil sodium (Remodulin)	X		
<b>Anticoagulants:</b>			
Low molecular wt heparin; heparin; antithrombin agents; thrombin inhibitors			X
Warfarin		X	
Selective factor Xa Inhibitor (Arixtra)	X		
Coagulants: heparin antagonis (protamine sulfate)			X
Thrombolytic agents	X		
Antisickling agents (Droxia)	X		
Hemorrhologic agents	X		
Antihemophilic agents	X		
Antihemophilic factor combinations	X		
Hemostatics		X topical	
Plasma expanders			X
Albumin			X
Hemin	X		
<b>(11) NUTRIENTS &amp; NUTRITIONAL AGENTS:</b>			
<b>Note:</b>			
Vitamins, minerals (includes magnesium sulfate), trace elements		X(PO)	refer to definitions page  X (parenteral)

Electrolytes		X(PO)	X (parenteral)
Systematic alkalinizers		X(PO)	X (parenteral)
Amino acids		X(PO)	X (parenteral)
Lipotropic products, fish oils		X(PO)	X (parenteral)
Enzymes		X(PO)	X (parenteral)
Oral nutritional supplements; nutritional combination products		X(PO)	
Enteral nutritional therapy, hyperalimentation			X
<b>Intravenous nutritional therapy:</b> protein substrates, caloric intake, lipids, vitamins (parenteral), minerals, electrolytes, trace metals <b>TPN</b>			X
<b>IV replenishment solutions</b>			
<i>Saline solutions:</i> with & without dextrose		X	
<i>Lactated ringers solutions:</i> with & without dextrose		X	
IV solutions: <b>D5</b> as diluent		X	
IV solutions: <b>D10</b> as diluent		X	
Chelating agents: succimer; trientine HCL <b>and see Section 3: Endocrine &amp; Metabolic Agents for other chelating agents</b>	X (parenteral)		X(PO)
<b>Dialysis solutions</b>			
Peritoneal dialysis			X
Hemodialysis			X
<b>(12) OPHTHALMIC &amp; OTIC AGENTS: (TOPICAL)</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Agents for glaucoma			X
Non-steroidal anti-inflammatory agents (NSAIDs)			X
Corticosteroids	X		
Cycloplegic Mydratics		X	
Mast cell stabilizers		X	
Ophthalmic decongestant agents		X	
Antibiotics		X	
Steroid antibiotic combinations		X	
Sulfonamides		X	
Steroid sulfonamide combinations		X	

Ophthalmic antiseptics	X		
Ophthalmic antifungals	X		
Antiviral agents	X		
Immunologic agents			
Cyclosporine ophthalmic emulsion (Restasis)			X
Selective vascular endothelial growth factor antagonist	X		
Ocular lubricants; artificial tears		X	
Ophthalmic punctal plugs	X		
Ophthalmic collagen implants	X		
Ophthalmic hyperosmolar preparations	X		
Contact lens products		X	
Ophthalmic local anesthetics: Includes <i>tetracaine, proparacaine, &amp; miscellaneous combinations (include fluoracine)</i>		X	
Ophthalmic diagnostic products: <i>Includes fluorescein strips</i>		X	
Ophthalmic surgical adjuncts	X		
Ophthalmic phototherapy	X		
Ophthalmic non-surgical adjuncts		X	
Otic preparations		X	
<b>(13) RENAL &amp; GENITOURINARY AGENTS:</b>	<b>CTP holder may NOT prescribe</b>	<b>CTP holder may prescribe</b>	<b>Physician initiated/consulted (formal documentation required in the patient record)</b>
Interstitial cystitis agents		PO	NON PO
Cellulose sodium phosphate		PO	NON PO
Impotence agents		PO	NON PO
Acetohydroxamic acid		PO	NON PO
Genitourinary irrigants		PO	NON PO
Cystine-depleting agents		PO	NON PO
Urinary alkalinizers		PO	NON PO
Urinary acidifiers		PO	NON PO
Anticholinergics		PO	NON PO
Urinary cholinergics		PO	NON PO
Phosphate Binders		PO	NON PO
Polymeric Phosphate Binders		PO	NON PO
Vaginal preparations; miscellaneous vaginal preparations; douche products		X	
Contraceptive aids		PO	NON PO

Diuretics		PO	NON PO
<b>(14) RESPIRATORY AGENTS:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Bronchodilators		PO/INHALED	
Leukotriene receptor antagonists		PO/INHALED	
Leukotriene formation inhibitors		PO/INHALED	
Monoclonal antibodies: Omalizumab (Xolair)	X		
Respiratory inhalant products		X	
Respiratory inhalant combinations		X	
Nasal decongestants		X	
Respiratory enzymes			X
Lung surfactants			X
Antihistamines		X	
Narcotic antitussives		X	
Nonnarcotic antitussives		X	
Expectorants		X	
Respiratory combination products		X	
Antiasthmatic combinations		X	
Upper respiratory combinations		X	
<b>(15) OTHER:</b>	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
<b>Blood products:</b> including PRBC, FFP <i>An APN with or without prescriptive authority may order blood products within their scope of practice AND consistent with their standard care arrangement (SCA).</i>			X
<b>Plasma expanders</b>			X
<b>IV replenishment solutions</b>			
Saline solutions: with & without dextrose		X	
Lactated ringers solutions: with & without dextrose		X	
IV solutions with D5 as diluent		X	