

4730-2-06

Physician assistant formulary.

- (A) This formulary, as contained in the appendix to this rule, is established for individuals who hold a current, valid certificate to practice as a physician assistant and either a current, valid provisional certificate to prescribe or a certificate to prescribe issued by the board, and who have been authorized to prescribe pursuant to a board approved supervisory plan or the policies of the health care facility in which the physician assistant is practicing. The formulary does not authorize a physician assistant to prescribe any schedule II controlled substance or any drug or device used to perform or induce an abortion.
- (B) For purposes of the physician assistant formulary:
- (1) "CTP" means either a provisional certificate to prescribe or a certificate to prescribe issued by the board pursuant to section 4730.44 of the Revised Code.
 - (2) "CTP holder may not prescribe" means medications in the category may not be prescribed by any CTP holder for any indication.
 - (3) "CTP holder may prescribe" means medications in the category may be prescribed by any CTP holder as appropriate.
 - (4) "Physician initiated/consultation" means that either the supervising physician must initiate the drug after personally evaluating the patient or the physician assistant must consult with the supervising physician by direct, real time communication prior to initiating the drug.
 - (5) "Therapeutic device" means an instrument, apparatus, implement, machine, contrivance, implant, in vitro reagent, or other similar or related article, including a component part, or accessory which is intended to affect the structure or any function of the body and which does not achieve any of its primary intended purposes through chemical action within or on the body and which is not dependent upon being metabolized for the achievement of any of its primary intended purposes. Therapeutic device includes any device subject to regulation by the "Food and Drug Administration."
- (C) All physician assistant prescribing shall be in compliance with the supervisory plan under which the physician assistant is prescribing or the policies of the health care facility in which the physician assistant is prescribing, as may be restricted by the supervising physician.
- (D) All drugs and therapeutic devices shall be prescribed in accordance with the

manufacturer's package insert, the "United States Pharmacopoeia," and the minimal standard of care.

- (E) Drugs may be prescribed for purposes other than "Food and Drug Administration" indications when both of the following requirements are met:
- (1) The purpose is supported by current peer review literature, which emanates from a recognized body of knowledge; and
 - (2) Prescribing for the purpose is authorized by the supervising physician under whom the physician assistant is prescribing or the policies of the health care facility in which the physician assistant is prescribing.
- (F) In order for a physician assistant to prescribe a combination medication, each component drug must be listed on the formulary as "CTP holder may prescribe" or the combination medication itself must be listed on the formulary as "CTP holder may prescribe."
- (G) For medications that are denoted "Physician initiated/consultation," both of the following requirements apply:
- (1) The supervising physician's initiation of the drug or the prior consultation between the physician assistant and the supervising physician shall be documented in the patient record; and
 - (2) The physician assistant shall consult with the supervising physician before changing the dosage of the drug or before renewing a prescription when there is a change in patient status. The consultation shall be documented in the patient record.
- (H) A drug approved by the "Food and Drug Administration" subsequent to the effective date of this rule shall not be prescribed by a physician assistant until it is reviewed and added to the formulary.
- (I) The prescription of oxygen and plasma expanders is regulated by the Ohio state board of pharmacy and requires the physician assistant to hold a current, valid certificate to prescribe.
- (J) A physician assistant's prescription of therapeutic devices shall be in compliance with both of the following:

- (1) The physician assistant may only prescribe a therapeutic device that has been approved by the “Food and Drug Administration” and which the supervising physician prescribes in the routine course of practice for the specific use approved by the “Food and Drug Administration;” and
 - (2) The physician assistant shall not prescribe a therapeutic device that federal or state statute, rule, or regulation prohibits the physician assistant from using.
- (K) A physician assistant, with or without physician delegated prescriptive authority, may order blood products with physician initiation or consultation, consistent with the physician assistant's supervisory plan or the policies of the health care facility, as applicable.

Effective: 01/24/2012

R.C. 119.032 review dates: 02/28/2013

CERTIFIED ELECTRONICALLY

Certification

01/12/2012

Date

Promulgated Under: 119.03
Statutory Authority: 4730.39
Rule Amplifies: 4730.39, 4730.40
Prior Effective Dates: 2/28/08, 7/30/10

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
2	(1) ANTI-INFECTIVES, SYSTEMIC:			
3	Antibiotics			
4	Penicillins		X	
5	Cephalosporins and related antibiotics		X	
6	Carbapenem; monobactams		X	
7	Chloramphenicol	X		
8	Quinolones; flouroquinolones; tetracyclines; macrolides; spectinomycin; Ketolides		X	
9	Vancomycin		PO	IV
10	Lincosamides	X		
11	Clindamycin		X	
12	Aminoglycosides: parenteral; nebulized			X
13	Aminoglycosides: oral		X	
14	Colistimethate sodium; Polymyxin B sulfate; bacitracin		X	
15	Metronidazole		X	
16	Novobiocin	X		
17	Sulfonamides		X	
18	Nitrofurans		X	
19	Methenamines		X	
20	Folate antagonists		X	
21	lipoglycopeptides (Telavancin hydrochloride)	X		
22	Miscellaneous anti-infectives/antiseptics		X	
23	Antibiotic combinations		X	
24	Antifungal agents		PO & topical	IV
25	Antimalarial preparations		X	
26	Antituberculosal agents		PO	IV
27	Amebicides		X	
28	Antiviral agents		PO	IV
29	Foscarnet sodium; Ganciclovir; Valganciclovir		PO	IV
30	Anti-herpes Virus Agents		PO & topical	IV
31	Amantadine hydrochloride		X	
32	Adefovir			X
33	Cidofovir	X		
34	Ribavirin			X
35	Entecavir			X
36	Rimantadine		X	
37	Zanamivir		X	
38	Oseltamivir phosphate		X	

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
39	Antiretroviral agents		post exposure prophylaxis	X
40	Leprostatics			X
41	Antiprotozoals		X	
42	Anthelmintics		X	
43	CDC anti-infective agents: not commercially available	X		
44	(2) ANTINEOPLASTIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
45	Alkylating agents	X		
46	Estramustine (Emcyt)	X		
47	Antimetabolites	X		
48	Antimitotic agents	X		
49	Epipodophyllotoxins	X		
50	Antibiotics	X		
51	Hormones	X		
52	Androgens; Progestins; Estrogens; Estrogen/Nitrogen Mustard	X		
53	Antiandrogens:			
54	Antiandrogens: Bicultamide, Nilutamide	X		
55	Estramustine (Emcyt)	X		
56	Antiestrogens:			
57	Antiestrogens			X
58	Gonadotropin-Releasing Hormone Analog	X		
59	Hormones <i>continued</i>			
60	Aromatase Inhibitors			
61	Exemestane, Amastrozole, Letrozole			X
62	Enzymes	X		
63	Radiopharmaceuticals	X		
64	Platinum Coordination complex; Anthracenedione; Substituted ureas; Methylhydrazine derivatives; Cytoprotective Agents; DNA demethylation agents; Imidazotetrazine derivatives, Protein-tyrosine kinase inhibitors, DNA Topoisomerase inhibitors; Biological	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
65	Epidermal growth factor receptor inhibitors: Gefitinib	X		
66	Proteasome inhibitors: Bortezomib	X		
67	(3) BIOLOGIC/ IMMUNOLOGIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
68	Immune globulins		X	
69	Agents for primary Immune Deficiency (Vivaglobulin)			X
70	Monoclonal antibody			
71	Canakinumab (Ilaris)	X		
72	Palivizumab (Synagis)			X
73	Eculizumab (Soliris)	X		
74	denosumab			X
75	Antitoxins and antivenins		X	
76	Agents for active immunizations		X	
77	Allergenic extracts			X
78	Immunologic agents			
79	Immunostimulants			X
80	Immunosuppressives			X
81	Immunomodulators			X
82	Revlimid	X		
83	Antirheumatic agents			X
84	(4) CARDIOVASCULAR AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
85	ACLS medications per resuscitation protocol		X (ACLS certified)	
86	Inotropic agents:			
87	digoxin oral		x	
88	digoxin injection			x
89	midrodrine			x
90	inamrinone lactate	x		
91	milrinone lactate	x		
92	Antiarrhythmic agents:			
94	Ibutilide Fumarate	x		
95	Quinidine Sulfate			x
96	Quinidine Gluconate			x
97	Quinidine Gluconate injection			x
98	Quinidine Gluconate oral			x
99	Procainamide Hydrochloride oral			x

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
100	Procainamide Hydrochloride injection			x
101	Disopyramide	x		
102	Flecainide Acetate	x		
103	Mexiletine Hydrochloride	x		
104	Propafenone Hydrochloride	x		
105	Amiodarone Hydrochloride Oral			x
106	Dronedarone Hydrochloride			x
107	Amiodarone Hydrochloride Injection			x
108	Adenosine	ACLS protocol		x
109	Dofetilide	x		
110	Lidocaine Hydrochloride			x
111	Calcium channel blocking agents		PO	IV
112	Adenosine phosphate			X
113	Vasodilators			
114	Bosentan	X		
115	Nesiritide			X
116	Nitrates		PO/ Transdermal	IV
117	Phosphodiesterase inhibitors (pulmonary hypertension)			X
118	Peripheral vasodilators			
119	Epoprostenol Sodium/Treprostinil Sodium	X		
120	Hydralazine Hydrochloride		PO	IV
121	Isoxsuprine Hydrochloride	X		
122	Papaverine Hydrochloride	X		
123	Iloprost	X		
124	Minoxidil			X
125	Peripheral vasodilators combinations		X	
126	Antiadrenergics/sympatholytics			
127	Beta-blockers		PO	IV
128	Alpha/beta adrenergics		PO	IV
129	Anti-adrenergic agents: centrally acting, peripherally acting		PO	IV
130	Renin angiotensin system antagonists		PO	IV
131	Antihypertensive combinations		X	
132	Agents for pheochromocytoma			X

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
133	Agents for hypertensive emergencies: Nitroprusside sodium; Diazoxide; Fenoldopam mesylate			X
134	Trimethaphan camsylate	X		
135	Antihyperlipidemic agents		X	
136	Antihyperlipidemic agents: combination agents		X	
137	Omega-3 acid ethyl esters (<i>Omacor</i>)		X	
138	Vasopressors used in shock			X
139	EpiPen; EpiPen Jr <i>Hypersensitivity reactions; bronchospasm</i>		X	
140	Cardioplegic solutions	X		
141	Agents for Patent Ductus Arteriosus: including indomethacin			X
142	Sclerosing agents			X
143	Miscellaneous antianginal agents (<i>Ranexa</i>)			X
144	(5) CENTRAL NERVOUS SYSTEM AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
145	CNS stimulants			
146	Analeptics:			
147	Caffeine			X
148	Potassium channel blocker (Dalfampridine)			X
149	Doxapram HCl	X		
150	Modafinil (Provigil)			X
151	sodium oxybate (<i>Xyrem</i>)	X		
152	Amphetamines; Methylphenidate HCL;	X		
153	Anorexiant A physician must prescribe in accordance with medical board rules: http://www.med.ohio.gov/rules/ current/11-04.htm	X		
154	Opioid analgesics			
155	opioids (non schedule II) DEA REGISTRATION REQUIRED		X	

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
156	Narcotic analgesic combinations, including mixtures with codeine phosphate: DEA REGISTRATION REQUIRED		X	
157	Narcotic Agonist-Antagonist Analgesics: DEA REGISTRATION REQUIRED		X	
158	Buprenex		X Analgesia only	
159	Analgesics: non-scheduled drugs		X	
160	Buprenorphine HCL and naloxone HCL (Suboxone) Sublingual TABLETS	X		
161	Buprenorphine HCL (Subutex) Sublingual TABLETS	X		
162	Central analgesics		X	
163	NSAIDs		X	
164	Miscellaneous Analgesics: Ziconotide	X		
165	Agents for migraine		X	
166	Antiemetic/antivertigo agents For Emend see below		X	
167	Aprepitant (Emend)			X
168	Antianxiety agents: Benzodiazepines; DEA REGISTRATION REQUIRED		X	
169	Miscellaneous antianxiety agents		X	
170	Meprobamate		X	
171	Antidepressants			
172	Tricyclic compounds		X	
173	Tetracyclic compounds		X	
174	Serotonin & norepinephrine reuptake inhibitors (SNRI)		X	
175	SSRIs		X	
176	MAO inhibitors	X		
177	Antipsychotic agents:			
178	Clozapine; thioridazine; Mesoridazine			X

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
179	Phenothiazine derivatives; Thioxanthine derivatives; Phenylbutylpiperidine derivatives; Dihydroindolone derivatives; Dibenzapine derivatives; Benzisoxazole derivatives; Quinolinone derivative			X
180	Lithium			X
181	NMDA receptor antagonists (Namenda)		X	
182	Cholinesterase inhibitors		X	
183	Miscellaneous psychotherapeutic agents: DEA REGISTRATION WHERE APPLICABLE Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate; olanzapine & fluoxetine HCl; perphenazine & amitriptyline	Zyprexa Relprevv	X	
184	Atomoxetine			X
185	Sedatives and hypnotics, nonbarbiturates WITH DEA WHERE APPLICABLE			
186	Imidazopyridines; ureides (Ambien)		X	
187	Tertiary acetylenic alcohols (ethchlorvynol)	X		
188	Piperidine derivatives: Glutethamide	X		
189	Benzodiazepines		X	
190	Chloralhydrate; paraldehyde			X
191	Propiomazine HCl			X
192	Dexmedetomidine HCl (Precedex)	X		
193	Melatonin receptor agonists (Rozerem)		X	
194	Eszopiclone (Lunesta)		X	
195	Pyrazolopyrimidine (Sonata)		X	
196	Non-prescription sleep aids		X	
197	Sedatives and hypnotics; barbiturates; non schedule II			
198	Long-acting			X
199	Intermediate-acting	X		
200	Short-acting	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
201	Oral combinations	X		
202	General anesthetics: Barbiturates, gases, volatile liquids Includes Propofol	X		
203	Injectable local anesthetics		X	
204	Anticonvulsants *			
205	Hydantoins; succinimides; Sulfonamides *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
206	Benzodiazepines		x	
207	Carbamazepine; oxcarbamazepine; Magnesium sulfate ; acetazolamide *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
208	Adjuvant anticonvulsants: Felbamate; Gabapentin; Lamotrigine; Pregabalin ; Levetiracetam; Primidone; Tiagabine; Topiramate; Valproic acid and derivatives *		x	* When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses.
209	Vigabatrin	X		
210	Muscle relaxants – adjuncts to anesthesia	X		
211	Skeletal muscle relaxants			
212	Centrally-acting		X	
213	Direct-acting		X	
214	Combination		X	
215	Antiparkinson agents		X	
216	Selegiline			X
217	Cholinergic muscle stimulants			X
218	Antialcoholic		X	
219	Smoking deterrents		X	
220	Riluzole	X		
221	Physical adjuncts: chymopapain; hyaluronic acid derivatives			X

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
222	Poly-L-Lactic Acid	X		
223	Botulinum Toxin Type A	X		
224	Botulinum Toxin Type B			X
225	(6) DERMATOLOGIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
226	Antihistamine preparations, topical		X	
227	Anti-infectives, topical		X	
228	Anti-inflammatory agents		X	
229	Anti-psoriatic agents			
230	Ammoniated mercury	X		
231	Anthralin; calcipotriene; selenium sulfide		X	
232	Methotrexate			X
233	Antiseborrheic products		X	
234	Counterirritants; destructive agents; drying agents		X	
235	Enzyme preparations			
236	Hyaluronidase		X	
237	Collagenase; topical enzyme combinations		X	
238	Immunomodulator, topical		X	
239	Keratolytic agents		X	
240	Liver Derivative Complex		X	
241	Local anesthetics, topical		X	
242	Minoxidil		X	
243	Photochemotherapy; pigment agents	X		
244	Poison ivy products, topical		X	
245	Pyrimidine antagonist, topical		X	
246	Pyrrithione zinc		X	
246	Retinoids			
247	Adapalene		X	
248	First generation retinoids:			
249	isotretinoin	X		
250	Tretinoin topical		X	
251	Second generation retinoids:			
252	Acitretin	X		
253	Alitretinoin	X		
254	Tazarotene		X	
255	Scabicides/pediculicides		X	
256	Wound healing agents:		X	

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
257	Emollients; protectants; sunscreens; ointments and lotion bases; rubs and liniments		X	
258	Topical combinations, miscellaneous dressings and granules		X	
259	Irrigating solutions		X	
260	(7) DIAGNOSTIC AIDS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
261	<i>In vitro</i> diagnostic aids		X	
262	<i>In vivo</i> diagnostic aids		X	
263	<i>In vivo</i> diagnostic biologicals		X	
264	Radiopaque agents		X	
265	(8) Endocrine & Metabolic Agents	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
266	Sex hormones			
267	Estrogens; Selective estrogen receptor modulator; progestins		X	
268	<i>Tamoxifen</i>		prophylactic use	
269	<i>Antineoplastic agents</i>	X		
270	Estrogens/Progestins combined		X	
271	Estrogen/androgen combinations		X	
272	Contraceptive hormones		X	
273	Ovulation stimulants			X
274	Gonadotropin-releasing hormones		X	
275	Androgens	X		
276	Danazol		X	
277	Androgen inhibitors		X	
278	Anabolic steroids	X		
279	Vpriv (Velaglycerase Alfa)	X		
280	Carbaglu (Carglumic acid)	X		
281	Lumizyme (alglucosidase Alfa)	X		
282	Abortifacients	X		
283	Prostaglandins	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
284	Carboprost tromethamine: Hemabate		X postpartum hemorrhage	
285	Agent for cervical ripening: Dinoprostone	X		
286	Oxytocics, including pitocin	X		
287	Uterine relaxants	X		
288	Bisphosphonates		X	
289	Pamidronate disodium injection	X		
290	Antidiabetic agents			
291	IV Insulin infusion			X
292	Insulins		X	
293	Inhaled insulin (<i>Exubera</i>)			X
294	Sulfonylureas		X	
295	Alpha-glucosidase inhibitors		X	
296	Amylin analog (<i>Symlin</i>)		X	
297	Incretin mimetic agents		X	
298	Biguanides: this category includes meglitinides		X	
299	Thiazolidinediones	Rosiglitazone	X	
300	Dipeptidylpeptidase 4 (DPP4) inhibitors		X	
301	Glucose elevating agents		X	
302	Adrenocortical steroids			
303	Adrenal steroid inhibitors	X		
304	Corticotropins	X		
305	Glucocorticoids		X	
306	Mineral corticoids			X
307	Thyroid drugs			
308	Thyroid hormones		X	
309	Anti-thyroid agents			X
310	Parathyroid hormone			X
311	Insulin-like growth factor			X
312	Growth hormone	X		
313	Posterior pituitary hormones: <i>Includes DDAVP</i>	for diabetes insipidus and other indications	X (for primary nocturnal enuresis only)	
314	Vasopressin receptor antagonist			X
315	Octreotide acetate; imiglucerase; gallium nitrate	X		
316	Pegvisomant	X		
317	Laronidase	X		
318	Galsulfase	X		
319	Agalsidase beta	X		
320	Miglustat	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
321	4-hydroxyphenylpyruvate dioxygenase inhibitor	X		
322	Alglucosidase alfa	X		
323	Calcitonin-salmon: nasal (osteoporosis)		X	
324	Calcitonin-salmon: injectable			X
325	Calcium receptor agonist (Sensipar)			X
326	Sodium phenylbutyrate; Betaine anhydrous; Cysteamine bitartrate	X		
327	Sodium benzoate; sodium phenylacetate	X		
328	Cabergoline	X		
329	Bromocriptine mesylate		X	
330	Agents for gout		X	
331	Emergency kits		X	
332	DETOXIFICATION AGENTS			
333	Antidotes: (includes Naltrexone) <i>includes sodium nitrite;</i> pentatate calcium trisodium		X Naltrexone for resuscitation of narcotic overdose	X
334	(9) GASTROINTESTINAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
335	<i>Helicobacter pylori</i> agents		X	
336	Histamine H2 antagonists		X	
337	Proton pump inhibitors		X	
338	Sucralfate		X	
339	Prostaglandins		X	
340	Antacids		X	
341	Gastrointestinal anticholinergics/antispasmodics		X	
342	Mesalamine; Olsalazine sodium; sulfasalazine		X	
343	Infliximab			X
344	Lubiprostone		X	
345	Laxatives		X	
346	Antidiarrheals		X	
347	Antiflatulents		X	
348	selective peripheral opioid receptor antagonist			
349	alvimopan	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
350	methylnaltrexone			x
351	Lipase inhibitors: Xenical, Orlistat		X	
352	GI stimulants		X	
353	Digestive enzymes		X	
354	Miscellaneous digestive products; gastric acidifiers; hydrocholeretics		X	
355	Gallstone solubilizing agents			X
356	Mouth and throat products		X	
357	Systemic deodorizers		X	
358	Anorectal preparations		X	
359	(10) HEMATOLOGICAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
360	Hematopoietic agents			
361	Epoetin alfa; Darbepoetin			X
362	Colony-stimulating factors Filgrastim; Pegfilgrastim	X		
363	Interleukins (Neumega)	X		
364	Antiplatelet agents			
365	Anagrelide HCL; dipyridamole; dipyridamole & aspirin		X(po)	
366	Glycoprotein inhibitors Aggregation inhibitors			X
367	(eg. Plavix)		X(po)	
368	Aggregation inhibitor/Vasodilator: Trepstinil sodium (Remodulin)	X		
369	Anticoagulants:			
370	antithrombin agents; thrombin inhibitors			X
371	Low molecular wt heparin; heparin;		subcutaneous	IV
372	Warfarin		X	
373	Selective factor Xa Inhibitor (Arixtra)		X	
374	Coagulants: heparin antagonist (protamine sulfate)			X
375	Thrombolytic agents	X		
376	Antisickling agents (Droxia)	X		
377	Hemorrhologic agents	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
378	Antihemophilic agents	X		
379	Antihemophilic factor combinations	X		
380	Hemostatics		X topical	
381	Plasma expanders			X
382	Albumin			X
383	Hemin	X		
384	Kallikrein inhibitor	X		
	(11) NUTRIENTS & NUTRITIONAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
385				
386	Note:			refer to definitions page
	Vitamins, minerals (includes magnesium sulfate), trace elements		X(PO)	X (parenteral)
387			X(PO)	X (parenteral)
388	Electrolytes		X(PO)	X (parenteral)
389	Systematic alkalinizers		X(PO)	X (parenteral)
390	Amino acids		X(PO)	X (parenteral)
391	Lipotropic products, fish oils		X(PO)	X (parenteral)
392	Enzymes		X(PO)	X (parenteral)
	Oral nutritional supplements; nutritional combination products		X(PO)	
393				
394	Enteral nutritional therapy, hyperalimentation			X
	Intravenous nutritional therapy: protein substrates, caloric intake, lipids, vitamins (parenteral), minerals, electrolytes, trace metals TPN			X
395				
396	IV replenishment solutions			
	<i>Saline solutions:</i> with & without dextrose		X	
397				
	<i>Lactated ringers solutions:</i> with & without dextrose		X	
398			X	
399	IV solutions: D5 as diluent		X	
400	IV solutions: D10 as diluent		X	
401	D50 bolus as resuscitation		X	
	Chelating agents: succimer; trientine HCL and see Section 3: Endocrine & Metabolic Agents for other chelating agents			
402		X (parenteral)		X(PO)

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
403	Dialysis solutions			
404	Peritoneal dialysis			X
405	Hemodialysis			X
406	(12) OPHTHALMIC & OTIC AGENTS: (TOPICAL)	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
407	Agents for glaucoma			X
408	Non-steroidal anti-inflammatory agents (NSAIDs)			X
409	Corticosteroids			X
410	Cycloplegic Mydriatics		X	
411	Mast cell stabilizers		X	
412	Ophthalmic decongestant agents		X	
413	Antibiotics		X	
414	Steroid antibiotic combinations			X
415	Sulfonamides		X	
416	Steroid sulfonamide combinations			X
417	Ophthalmic antiseptics	X		
418	Ophthalmic antifungals	X		
419	Antiviral agents	X		
420	Immunologic agents			
421	Cyclosporine ophthalmic emulsion (Restasis)			X
422	Selective vascular endothelial growth factor antagonist	X		
423	Ocular lubricants; artificial tears		X	
424	Ophthalmic punctal plugs	X		
425	Ophthalmic collagen implants	X		
426	Ophthalmic hyperosmolar preparations	X		
427	Contact lens products		X	
428	Ophthalmic local anesthetics: Includes <i>tetracaine</i> , <i>proparacaine</i> , & <i>miscellaneous combinations (include flouracine)</i>		X	
429	Ophthalmic diagnostic products: <i>Includes fluorescein strips</i>		X	
430	Ophthalmic surgical adjuncts	X		
431	Ophthalmic phototherapy	X		

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
432	Ophthalmic non-surgical adjuncts		X	
433	Otic preparations		X	
434	(13) RENAL & GENITOURINARY AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
435	Interstitial cystitis agents		PO	NON PO
436	Cellulose sodium phosphate		PO	NON PO
437	Impotence agents		PO	NON PO
438	Acetohydroxamic acid		PO	NON PO
439	Genitourinary irrigants		PO	NON PO
440	Cystine-depleting agents		PO	NON PO
441	Urinary alkalinizers		PO	NON PO
442	Urinary acidifiers		PO	NON PO
443	Anticholinergics		PO	NON PO
444	Urinary cholinergics		PO	NON PO
445	Phosphate Binders		PO	NON PO
446	Polymeric Phosphate Binders		PO	NON PO
447	Vaginal preparations; miscellaneous vaginal preparations; douche products		X	
448	Contraceptive aids		PO	NON PO
449	Diuretics		PO	NON PO
450	(14) RESPIRATORY AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
451	Bronchodilators		PO/INHALED	
452	Leukotriene receptor antagonists		PO/INHALED	
453	Leukotriene formation inhibitors		PO/INHALED	
454	Monoclonal antibodies: Omalizumab (Xolair)	X		
455	Respiratory inhalant products		X	
456	Respiratory inhalant combinations		X	
457	Nasal decongestants		X	
458	Respiratory enzymes			X
459	Lung surfactants			X
460	Antihistamines		X	
461	Narcotic antitussives		X	
462	Nonnarcotic antitussives		X	
463	Expectorants		X	

Physician Assistant Formulary
Effective 2012

	A	B	C	D
1		CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation)
464	Respiratory combination products		X	
465	Antiasthmatic combinations		X	
466	Upper respiratory combinations		X	
467	(15) OTHER:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
468	Blood products: including PRBC, FFP (refer to rule 4730-2-06)			X
469	Plasma expanders			X
470	IV replenishment solutions			
471	Saline solutions: with & without dextrose		X	
472	Lactated ringers solutions: with & without dextrose		X	
473	Lactated ringers solutions: with & without dextrose		X	
474				
475	Oxygen		X	